

48290130

Current module DIRIS Digiware I-35, 3 current inputs, Analysis



Strong points

- Multi-circuit
- Accurate
- CompactPlug & Play
- Flug & Flay
- Leading edge technology
- MID certified and more

General characteristics

- Versions with 3, 4 or 6 RJ12 current inputs.
- Compatible with TE, TR/iTR and TF current sensors.
- DIN rail assembly.

Compliance with standards

- IEC 61557-12
- UL 61010 Guide PICQ File E257746
- ANSI C12.20
- EN 50470-1
- EN 50770-3
- Directive 2014/32/EU

Access to resources (ex: manuals)

2024-04-23 08:49:36



https://www.socomec.co.in/en-in/reference/48290130

DIRIS Digiware lac modules measure consumption and monitor the installation as close as possible to loads. Their flexibility allows you to distribute the loads to meter or monitor independent current inputs (for example: 1 three-phase load or 3 single-phase loads).

Il rate E-Order Common	25
ill rate E-Order Selection	60
Classification	
INSPSC	83101808
TIM Class	EC002301
GCC GCC	6042
Commerce	
ffective date	2013-11-22
country of origin	FR
iscount Policy	1EN60
iscount Policy Label	MEASUREMENT SYSTEM PACKAGE
TIM - Electrical characteristics	
ampling frequency [Hz]	10000
lumber of current measurement inputs	3
oltage type (supply voltage)	DC
supply voltage DC [V]	0.240.24
supporting protocol for IEC 61850 Ethernet	No
supporting protocol for OPC UA PubSub	No
supporting protocol for PROFIBUS	No
supporting protocol for Modbus	Yes
supporting protocol for PROFINET IO	No
supporting protocol for other bus systems	No
Vith audit logging (audit log)	No
Vith firmware signature	Yes
Vith logging of security events (security event og)	Yes
Vith Role Based Access Control (RBAC)	No
Veb server with HTTPS transfer protocol	No
TIM - Mechanical characteristics	
Vidth [mm]	18
leight [mm]	90
Pepth [mm]	65
Degree of protection (IP), front side	IP20
TIM - Technical features	
mpere meter	Yes
lind power meter	Yes
Vith rotational speed meter	No
requency meter	No
ulse counter	No
oltmeter	No
ffective power measurement device	Yes
Remote display	No

2024-04-23 08:49:36



GTIN/EAN	3596032776404	
Customs number	9030337000	
Price unit	PC	
Weight of the packing unit	0.09	
Length of the packing unit	0.03	
Width of the packing unit	0.08	
Depth of the packing unit	0.12	
Norms		
Conformity to standards	IEC UL	
Technical Characteristics		
Application	Analysis	
Model	I-35	
Number of current inputs	3	
Туре	Current acquisition module	

2024-04-23 08:49:36 3/3